



1645  
PATENT  
Attorney Docket No. UCSD-04871

RECEIVED

MAY 24 2001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

TECH CENTER 1600/2900

In re Application of: Roman Sakowicz *et al.*

Serial No.: 09/724,586

Group No.: 1645

Filed: 11/28/00

Examiner:

Entitled: **Identification and Expression of a Novel Kinesin Motor Protein**

7#3

## INFORMATION DISCLOSURE STATEMENT TRANSMITTAL

Assistant Commissioner for Patents  
Washington, D.C. 20231

### CERTIFICATE OF MAILING UNDER 37 C.F.R. § 1.8(a)(1)(i)(A)

I hereby certify that this correspondence (along with any referred to as being attached or enclosed) is, on the date shown below, being deposited with the U.S. Postal Service with sufficient postage as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.

Dated: May 17, 2001

By:


  
Anne M. Neiswander

Sir or Madam:


Enclosed please find an Information Disclosure Statement and Form PTO-1449, (copies of the references were previously submitted), for filing in the U.S. Patent and Trademark Office.

The Commissioner is hereby authorized to charge any additional fee or credit overpayment to our Deposit Account No. 08-1290. An originally executed duplicate of this transmittal is enclosed for this purpose.

Dated: May 17, 2001

  
Kamrin T. MacKnight  
Registration No. 38,230

MEDLEN & CARROLL, LLP  
220 Montgomery Street, Suite 2200  
San Francisco, California 94104  
415/705-8410



PATENT  
Attorney Docket No. UCSD-04871

THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Sakowicz *et al.*

Serial No.: 09/724,586

Filed: 11/28/00

Entitled:

**IDENTIFICATION AND EXPRESSION OF  
A NOVEL KINESIN MOTOR PROTEIN**

Group No.:

Examiner:

RECEIVED

MAY 24 2001

TECH CENTER 1600/2900

**INFORMATION DISCLOSURE STATEMENT**


Assistant Commissioner for Patents  
Washington, D.C. 20231

**CERTIFICATE OF MAILING UNDER 37 CFR § 1.8(a)**

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to the: Assistant Commissioner for Patents, Washington, D.C. 20231.

Date: May 17, 2001

By:

  
Anne M. Neiswander

Sir or Madam:

The citations listed below may be material to the examination of the above-identified application, and are therefore submitted in compliance with the duty of disclosure defined in 37 C.F.R. § 1.56 and § 1.97. The Examiner is requested to make these citations of official record in this application.

Applicants note that the present application is a Divisional of U.S. Patent Application Serial No. 09/235,416, filed on 1/22/99, which claims benefit under 35 U.S.C. § 199(e) to Provisional Patent Application Serial No. 60/072,361, filed on 1/23/98. In accordance with 37 C.F.R. § 1.98(d), copies of the citations listed as references 1-147 on the enclosed PTO-1449 are **not** provided since they were previously submitted to the Office in the earlier U.S. Patent Application Serial No. 09/235,416 (our file UCSD-04742), which is relied upon for an earlier filing date. In particular, citations listed as references 1-30 and 32-134 were mailed to the Office on 5/1/01, citations listed as references 31, 137, 142, 144, 146 and 147 were mailed to the Office on 5/26/99, and citations listed as references 135, 136, 138-141, 143 and

145 were mailed to the Office on 3/26/99 in support of the prior U.S. Patent Application Serial No. 09/235,416.

The following printed publications are referred to in the body of the specification and are relevant for the reasons disclosed therein:

- U.S. Patent No. 4,366,241 to Tom (12/28/82);
- U.S. Patent No. 4,376,110 to David (3/8/83);
- U.S. Patent No. 4,391,904 to Litman (7/5/83);
- U.S. Patent No. 4,469,863 to Ts'o (9/4/84);
- U.S. Patent No. 4,517,288 to Giegel (5/14/85);
- U.S. Patent No. 4,683,195 to Mullis (7/28/87);
- U.S. Patent No. 4,683,202 to Mullis (7/28/87);
- U.S. Patent No. 4,736,866 to Leder (4/12/88);
- U.S. Patent No. 4,816,567 to Cabilly (3/28/89);
- U.S. Patent No. 4,837,168 to De Jaeger (6/6/89);
- U.S. Patent No. 4,870,009 to Evans (9/26/89);
- U.S. Patent No. 5,034,506 to Summerton (7/23/91);
- U.S. Patent No. 5,216,141 to Benner (6/1/93);
- U.S. Patent No. 5,235,033 to Summerton (8/10/93);
- U.S. Patent No. 5,283,173 to Fields (2/1/94);
- U.S. Patent No. 5,386,023 to Sanghvi (1/31/95);
- U.S. Patent No. 5,468,614 to Fields (11/21/95);
- U.S. Patent No. 5,525,490 to Erickson (6/11/96);
- U.S. Patent No. 5,545,806 to Lonberg (8/13/96);
- U.S. Patent No. 5,545,807 to Surani (8/13/96);
- U.S. Patent No. 5,569,825 to Lonberg (10/29/96);
- U.S. Patent No. 5,602,240 to De Mesmaeker (2/11/97);
- U.S. Patent No. 5,625,126 to Lonberg (4/29/97);
- U.S. Patent No. 5,633,425 to Lonberg (5/27/97);
- U.S. Patent No. 5,637,463 to Dalton (6/10/97);
- U.S. Patent No. 5,637,684 to Cook (6/10/97);
- U.S. Patent No. 5,644,048 to Yau (7/1/97);

- U.S. Patent No. 5,661,016 to Lonberg (8/26/97);
- U.S. Patent No. 5,667,973 to Fields (9/16/97);
- WO 93/08829A1 to Wabl (5/13/93);
- Akerstrom *et al.*, "Protein G: a powerful tool for binding and detection of monoclonal and polyclonal antibodies," *J Immunol.* 135:2589-92 (1985);
- Altschul *et al.*, "Basic local alignment search tool," *J Mol Biol.* 215:403-10 (1990);
- Asai (ed.), Methods in Cell Biology Volume 37 San Diego: Academic Press (1993) not supplied;
- Ausubel *et al.* (eds.) Current Protocols in Molecular Biology New York: Wiley (1994) not supplied;
- Batzer *et al.*, "Enhanced evolutionary PCR using oligonucleotides with inosine at the 3'-terminus," *Nucleic Acids Res.* 19:5081 (1991);
- Beaucage and Caruthers, "Optimistic about antisense," *Tetrahedron Letts* 22:1859-1862 (1981);
- Beaucage and Iyer, "The functionalization of oligonucleotides via phosphoramidite derivatives," *Tetrahedron* 49:1925 (1993);
- Benton and Davis, "Screening lambda gt recombinant clones by hybridization to single plaques in situ," *Science.* 196:180-2 (1977);
- Boerner *et al.*, "Production of antigen-specific human monoclonal antibodies from in vitro-primed human splenocytes," *J Immunol.* 147:86-95 (1991);
- Bradley, "Production and analysis of chimeric mice," in Teratocarcinomas and Embryonic Stem Cells: A Practical Approach Robertson (ed.) Oxford: IRL Press Limited, pp. 113-152 (1987);
- Brill *et al.*, "Synthesis of oligodeoxynucleoside phosphorodithioates via thioamidites," *J Am Chem Soc* 111:2321-2322 (1989);
- Chien *et al.*, "The two-hybrid system: a method to identify and clone genes for proteins that interact with a protein of interest," *Proc Natl Acad Sci U S A.* 88:9578-82 (1991);
- Clark-Curtiss and Curtiss, "Analysis of recombinant DNA using *Escherichia coli* minicells," in *Methods Enzymol.* Wu et al., (eds.) 101:347-62 (1983);

- Cole *et al.*, "The EBV-hybridoma technique and its application to human lung cancer," in Monoclonal Antibodies and Cancer Therapy, Reisfeld *et al.* (eds.), pp. 77-96, Alan R. Liss, Inc. (1985);
- Colley *et al.*, "Conversion of a Golgi apparatus sialyltransferase to a secretory protein by replacement of the NH<sub>2</sub>-terminal signal anchor with a signal peptide," *J Biol Chem.* 264:17619-22 (1989);
- Coligan (ed.), Current Protocols in Immunology, New York : Greene Publishing Associates and Wiley-Interscience (1991) not supplied;
- Dang *et al.*, "Intracellular leucine zipper interactions suggest c-Myc hetero-oligomerization," *Mol Cell Biol.* 11:954-62 (1991);
- DeMesmaeker *et al.*, "Comparison of rigid and flexible backbones in antisense oligonucleotides," *Bioorganic and Medicinal Chem Lett* 4:395-398 (1994);
- Dempcy *et al.*, "Synthesis of a thymidyl pentamer of deoxyribonucleic guanine and binding studies with DNA homopolynucleotides," *Proc Natl Acad Sci U S A.* 92:6097-101 (1995);
- Deutscher (ed.) *Methods in Enzymology* vol. 182, San Diego : Academic Press, Inc. (1990) not supplied;
- Eckstein (ed.) Oligonucleotides and Analogues: A Practical Approach, New York: IRL Press (1991) not supplied;
- Egholm *et al.*, "Peptide nucleic-acids (pna) : oligonucleotide analogs with an achiral peptide backbone," *J Am Chem Soc* 114:1895-1897 (1992);
- Fearon *et al.*, "Karyoplasmic interaction selection strategy: a general strategy to detect protein-protein interactions in mammalian cell," *Proc Natl Acad Sci U S A.* 89:7958-62 (1992);
- Feng and Doolittle, "Progressive sequence alignment as a prerequisite to correct phylogenetic trees," *J Mol Evol.* 25:351-60 (1987);
- Fields and Song, "A novel genetic system to detect protein-protein interactions," *Nature.* 340:245-6 (1989);
- Fishwild *et al.*, "High-avidity human IgG kappa monoclonal antibodies from a novel strain of minilocus transgenic mice," *Nat Biotechnol.* 14:845-51 (1996);

- Furlong *et al.*, "Characterization of a kinesin-related gene ATSV, within the tuberous sclerosis locus (TSC1) candidate region on chromosome 9Q34," *Genomics* 33:421-9 (1996);
- Gao and Jeffs, "Unusual conformation of a 3'-thioformacetal linkage in a DNA duplex," *J Biomol NMR*. 4:17-34 (1994);
- Goding, Monoclonal Antibodies: Principles and Practice, 2nd edition, Orlando: Academic Press (1986) not supplied;
- Grunstein and Hogness, "Colony hybridization: a method for the isolation of cloned DNAs that contain a specific gene," *Proc Natl Acad Sci U S A* 72:3961-5 (1975);
- Gubler and Hoffman, "A simple and very efficient method for generating cDNA libraries," *Gene* 25(2-3):263-9 (1983);
- Haase *et al.*, "Detection of viral nucleic acids by in situ hybridization," *Methods in Virology* 7:189-226 (1984);
- Hackney *et al.*, "Nucleotide-free kinesin hydrolyzes ATP with burst kinetics," *J Biol Chem* 264:15943-8 (1989);
- Hames and Higgins (eds.) Nucleic Acid Hybridisation: A Practical Approach Washington, DC : IRL Press (1987) not supplied;
- Harlow and Lane, Antibodies, A Laboratory Manual Cold Spring Harbor, NY : Cold Spring Harbor Laboratory (1988) not supplied;
- Henikoff and Henikoff, "Amino acid substitution matrices from protein blocks," *Proc Natl Acad Sci U S A* 89:10915-9 (1992);
- Higgins and Sharp, "Fast and sensitive multiple sequence alignments on a microcomputer," *Comput Appl Biosci* 5(2):151-3 (1989);
- Hoogenboom and Winter, "By-passing immunisation. Human antibodies from synthetic repertoires of germline VH gene segments rearranged in vitro," *J Mol Biol* 227:381-8 (1992);
- Horn *et al.*, "Oligonucleotides with alternating anionic and cationic phosphoramidate linkages: Synthesis and hybridization of stereo-uniform isomers," *Tetrahedron Letters* 37:743-746 (1996);

- Howard *et al.*, in Motility Assays for Motor Proteins Scholey (ed.) San Diego: Academic Press, pp. 105-113 (1993);
- Huse *et al.*, "Generation of a large combinatorial library of the immunoglobulin repertoire in phage lambda," *Science* 246:1275-8 (1989);
- Hyman *et al.*, "Preparation of modified tubulins," *Methods Enzymol* 196:478-85 (1991);
- Innis *et al.* (eds.), PCR Protocols: A Guide to Methods and Applications San Diego: Academic Press (1990) not supplied;
- Jenkins and Turner, "The biosynthesis of carbocyclic nucleosides," *Chem Soc Rev* 24:169-176 (1995);
- Jones *et al.*, "Replacing the complementarity-determining regions in a human antibody with those from a mouse," *Nature* 321:522-5 (1986);
- Jung *et al.*, "Hybridization of alternating cationic/anionic oligonucleotides to rna segments," *Nucleosides & Nucleotides* 13:1597-1605 (1994);
- Karlin and Altschul, "Applications and statistics for multiple high-scoring segments in molecular sequences," *Proc Natl Acad Sci U S A* 90:5873-7 (1993);
- Kishino and Yanagido, "Force measurements by micromanipulation of a single actin filament by glass needles," *Nature* 334:74-6 (1988);
- Kodama *et al.*, "The initial phosphate burst in ATP hydrolysis by myosin and subfragment-1 as studied by a modified malachite green method for determination of inorganic phosphate," *J Biochem (Tokyo)* 99:1465-72 (1986);
- Kohler and Milstein, "Continuous cultures of fused cells secreting antibody of predefined specificity," *Nature* 256:495-7 (1975);
- Kohler and Milstein, "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion," *Eur J Immunol* 6:511-9 (1976);
- Kriegler, Gene Transfer and Expression: A Laboratory Manual New York: W. H. Freeman (1990) not supplied;
- Kronvall, "A surface component in group A, C, and G streptococci with non-immune reactivity for immunoglobulin G," *J Immunol* 111:1401-6 (1973);

- Letsinger and Mungall, "Phosphoramidate analogs of oligonucleotides," *J Org Chem* 35:3800-3 (1970);
- Letsinger *et al.*, "Effects of pendant groups at phosphorus on binding properties of d-AppA analogue," *Nucleic Acids Res* 14:3487-99 (1986);
- Letsinger *et al.*, "Cationic oligonucleotides," *J Am Chem Soc* 110:4470 (1988);
- Li *et al.*, "Targeted mutation of the DNA methyltransferase gene results in embryonic lethality," *Cell* 69:915-26 (1992);
- Li *et al.*, "Kinesin-73 in the nervous system of Drosophila embryos," *Proc Natl Acad Sci U S A* 94:1086-9 (1997);
- Lombillo *et al.*, "Antibodies to the kinesin motor domain and CENP-E inhibit microtubule depolymerization-dependent motion of chromosomes in vitro," *J Cell Biol* 128:107-15 (1995);
- Lonberg and Huszar, "Human antibodies from transgenic mice," *Int Rev Immunol* 13:65-93 (1995) not supplied;
- Lonberg *et al.*, "Antigen-specific human antibodies from mice comprising four distinct genetic modifications," *Nature* 368:856-9 (1994);
- Mag *et al.*, "Synthesis and selective cleavage of an oligodeoxynucleotide containing a bridged internucleotide 5'-phosphorothioate linkage," *Nucleic Acids Res* 19:1437-41 (1991);
- Maggio (ed.) Enzyme Immunoassay Boca Raton, FL: CRC Press (1980) not supplied;
- Marks *et al.*, "By-passing immunization. Human antibodies from V-gene libraries displayed on phage," *J Mol Biol* 222:581-97 (1991);
- Marks *et al.*, "By-passing immunization: building high affinity human antibodies by chain shuffling," *Biotechnology* 10:779-83 (1992);
- Meier and Engels, "Peptide nucleic-acids (pnas) : unusual properties of nonionic oligonucleotide analogs," *Angewandte Chemie (Int Ed Engl)* 31:1008-1010 (1992);
- Milstein and Cuello, "Hybrid hybridomas and their use in immunohistochemistry," *Nature* 305:537-40 (1983);
- Monroe *et al.*, *Amer Clin Prod Rev* 5:34-41 (1986) not supplied;



- Morrison, "Transformation in *Escherichia coli*: cryogenic preservation of competent cells," *J Bacteriol* 132:349-51 (1977);
- Morrison, "Immunology. Success in specification," *Nature* 368:812-3 (1994);
- Mosbach *et al.*, "Formation of proinsulin by immobilized *Bacillus subtilis*," *Nature* 302:543-5 (1983);
- Nazar and Wong, "Is the 5S RNA a primitive ribosomal sequence? *Proc Natl Acad Sci U S A* 82:5608-11 (1985);
- Needham-VanDevanter *et al.*, "Characterization of an adduct between CC-1065 and a defined oligodeoxynucleotide duplex," *Nucleic Acids Res* 12:6159-68 (1984);
- Needleman and Wunsch, "A general method applicable to the search for similarities in the amino acid sequence of two proteins," *J Mol Biol* 48:443-53 (1970);
- Neuberger, "Generating high-avidity human Mabs in mice," *Nat Biotechnol* 14:826 (1996);
- Ohtsuka *et al.*, "An alternative approach to deoxyoligonucleotides as hybridization probes by insertion of deoxyinosine at ambiguous codon positions," *J Biol Chem* 260:2605-8 (1985);
- Palva *et al.*, "Secretion of interferon by *Bacillus subtilis*," *Gene* 22:229-35 (1983);
- Paul (ed.) Fundamental Immunology 3rd edition, New York: Raven Press (1993) not supplied;
- Pauwels *et al.*, "Biological-activity of new 2-5a analogs," *Chemica Scripta* 26:141-145 (1986);
- Pearson and Lipman, "Improved tools for biological sequence comparison," *Proc Natl Acad Sci U S A* 85:2444-8 (1988);
- Pearson and Reanier, "High-performance anion-exchange chromatography of oligonucleotides," *J Chrom* 255:137-149 (1983);
- Presta, "Antibody engineering," *Curr Opin Struct Biol* 2:593-596 (1992);
- Rawls, "Optimistic about antisense," *Chemical & Engineering News* 75:35-39 (1997);

- Riechmann *et al.*, "Reshaping human antibodies for therapy," *Nature* 332:323-7 (1988);
- Rossolini *et al.*, "Use of deoxyinosine-containing primers vs degenerate primers for polymerase chain reaction based on ambiguous sequence information," *Mol Cell Probes* 8:91-8 (1994);
- Sambrook *et al.* (eds.), Molecular Cloning: A Laboratory Manual 2nd edition, New York: Cold Spring Harbor Laboratory (1989) not supplied;
- Sanghvi and Cook (eds.) Carbohydrate Modifications in Antisense Research, ASC Symposium Series 580, Washington, DC: ACS Publications (1994) not supplied;
- Sawai, "Synthesis and properties of oligoadenylic acids containing 2'-5' phosphoramidate linkage," *Chem Lett* pp.805-808 (1984) not supplied;
- Singer *et al.*, "Optimization of in situ hybridization using isotopic and non-isotopic detection methods," *Biotechniques* 4:230-250 (1986);
- Smith and Waterman, "Comparison of biosequences," *Adv Appl Math* 2:482 (1981);
- Sprinzl *et al.*, "Enzymatic incorporation of ATP and CTP analogues into the 3' end of tRNA," *Eur J Biochem* 81:579-89 (1977);
- Stewart *et al.*, "Direction of microtubule movement is an intrinsic property of the motor domains of kinesin heavy chain and *Drosophila* ncd protein," *Proc Natl Acad Sci U S A* 90:5209-13 (1993);
- Stites and Terr (eds.) Basic and Clinical Immunology 7th edition, Norwalk: Appleton and Lange (1991) not supplied;
- Suresh *et al.*, "Bispecific monoclonal antibodies from hybrid hybridomas," *Methods Enzymol* 121:210-28 (1986);
- Thomas and Capecchi, "Site-directed mutagenesis by gene targeting in mouse embryo-derived stem cells," *Cell* 51:503-12 (1987);
- Tijssen, Laboratory Techniques in Biochemistry and Molecular Biology: Hybridization with Nucleic Acid Probes Vol. 24, Amsterdam: Elsevier (1993) not supplied;

- Traunecker *et al.*, "Bispecific single chain molecules (Janusins) target cytotoxic lymphocytes on HIV infected cells," *EMBO J* 10:3655-9 (1991);
- Vale *et al.*, "Identification of a novel force-generating protein, kinesin, involved in microtubule-based motility," *Cell* 42:39-50 (1985);
- Vasavada *et al.*, "A contingent replication assay for the detection of protein-protein interactions in animal cells," *Proc Natl Acad Sci U S A* 88:10686-90 (1991);
- Verhoeyen *et al.*, "Reshaping human antibodies: grafting an antilysozyme activity," *Science* 239:1534-6 (1988);
- Vonkiedrowski *et al.*, "Parabolic growth of a self-replicating hexadeoxynucleotide bearing a 3',5'-phosphoamidate linkage," *Angewandte Chemie-International Edition in English* 30:423-426 (1991);
- Wallace *et al.*, "A set of synthetic oligodeoxyribonucleotide primers for DNA sequencing in the plasmid vector pBR322," *Gene* 16:21-6 (1981);
- Ward *et al.*, "Binding activities of a repertoire of single immunoglobulin variable domains secreted from *Escherichia coli*," *Nature* 341(6242):544-6 (1989);
- Webster, Introduction to Fungi Cambridge: Cambridge University Press (1970) not supplied; and
- Zamecnik *et al.*, "Inhibition of replication and expression of human T-cell lymphotropic virus type III in cultured cells by exogenous synthetic oligonucleotides complementary to viral RNA," *Proc Natl Acad Sci U S A* 83:4143-6 (1986).

The following printed publications are referenced in the parental U.S. Patent Application Serial No. 09/235,416:

- WO 95/18857A1 to Gudkov (7/13/95);
- Aizawa *et al.*, "Kinesin family in murine central nervous system," *J Cell Biol.* 119:1287-96 (1992);
- Alphey *et al.*, "KLP38B: a mitotic kinesin-related protein that binds PP1," *J Cell Biol.* 138:395-409 (1997);

- Blangy *et al.*, "Phosphorylation by p34cdc2 protein kinase regulates binding of the kinesin-related motor HsEg5 to the dynactin subunit p150," *J Biol Chem* 272:19418-24 (1997);
- Furlong *et al.*, "Characterization of a kinesin-related gene ATSV, within the tuberous sclerosis locus (TSC1) candidate region on chromosome 9Q34," *Genomics* 33:421-9 (1996);
- Goldstein, "With apologies to scheherazade: tails of 1001 kinesin motors," *Annu Rev Genet.* 27:319-51 (1993);
- Li *et al.*, "Kinesin-73 in the nervous system of Drosophila embryos," *Proc Natl Acad Sci U S A* 94:1086-9 (1997);
- Nangaku *et al.*, "KIF1B, a novel microtubule plus end-directed monomeric motor protein for transport of mitochondria," *Cell* 79:1209-20 (1994);
- O'Connell *et al.*, "Suppression of the bimC4 mitotic spindle defect by deletion of klpA, a gene encoding a KAR3-related kinesin-like protein in *Aspergillus nidulans*," *J Cell Biol.* 120:153-62 (1993);
- Okada *et al.*, "The neuron-specific kinesin superfamily protein KIF1A is a unique monomeric motor for anterograde axonal transport of synaptic vesicle precursors," *Cell* 81:769-80 (1995);
- Oppenheimer *et al.*, "Essential role of a kinesin-like protein in Arabidopsis trichome morphogenesis," *Proc Natl Acad Sci U S A.* 94:6261-6 (1997);
- Otsuka *et al.*, "The *C. elegans* unc-104 gene encodes a putative kinesin heavy chain-like protein," *Neuron* 6:113-22 (1991);
- Prekeris and Terrian, "Brain myosin V is a synaptic vesicle-associated motor protein: evidence for a Ca<sup>2+</sup>-dependent interaction with the synaptobrevin-synaptophysin complex," *J Cell Biol.* 137:1589-601 (1997); and
- Sekine *et al.*, "A novel microtubule-based motor protein (KIF4) for organelle transports, whose expression is regulated developmentally," *J Cell Biol.* 127:187-201 (1994).

This Information Disclosure Statement under 37 C.F.R. § 1.56 and § 1.97 is not to be construed as a representation that a search has been made, that additional information material

to the examination of this application does not exist, or that any one or more of these citations constitutes prior art.

Dated: 17 May 2001



Kamrin T. MacKnight  
Registration No. 38,230  
MEDLEN & CARROLL, LLP  
220 Montgomery Street, Suite 2200  
San Francisco, California 94104  
415/705-8410